

SAFETY DATA SHEET



CLEARPOX PART B

Version 1.0 Revision Date: 01.09.2021 SDS Number: CPPB006 Date of last issue: -
Date of first issue: 01.09.2020

SECTION 1. PRODUCT AND COMPANY IDENTIFICATION

Product name : CLEARPOX PART B

Manufacturer or supplier's details

Company : The Trade Place Pty Ltd
Address : 72 Fredrick Street
Northgate
Queensland 4171
Telephone : Australia
Telefax : 1300 558 717

Company : Distributor: The Trade Place Pty Ltd
Address : 72 Fredrick Street
Northgate
Queensland 4171
Australia
Telephone : 1300 558 717
Telefax : +61 7 3009 0470

E-mail address : info@thetradeplace.com.au

Emergency telephone number : Australia: 1800 786 152
New Zealand: 0800 767 437

Recommended use of the chemical and restrictions on use

Recommended use : Coatings

SECTION 2. HAZARDS IDENTIFICATION

GHS Classification

Acute toxicity (Oral) : Category 4
Skin corrosion/irritation : Category 1A
Serious eye damage/eye irritation : Category 1
Skin sensitisation : Category 1
Acute aquatic toxicity : Category 3
Chronic aquatic toxicity : Category 3

CLEARPOX PART B

Version 1.0	Revision Date: 01.09.2021	SDS Number: CPPB006	Date of last issue: - Date of first issue: 01.09.2020
----------------	------------------------------	------------------------	----------------------------------------------------------

GHS label elements

Hazard pictograms



Signal word

: Danger

Hazard statements

 : H302 Harmful if swallowed.
 H314 Causes severe skin burns and eye damage.
 H317 May cause an allergic skin reaction.
 H412 Harmful to aquatic life with long lasting effects.

Precautionary statements

 : **Prevention:**
 P261 Avoid breathing dust/ fume/ gas/ mist/ vapours/ spray.
 P264 Wash skin thoroughly after handling.
 P270 Do not eat, drink or smoke when using this product.
 P272 Contaminated work clothing should not be allowed out of the workplace.
 P273 Avoid release to the environment.
 P280 Wear protective gloves/ protective clothing/ eye protection/ face protection.
Response:
 P301 + P312 + P330 IF SWALLOWED: Call a POISON CENTER or doctor/ physician if you feel unwell. Rinse mouth.
 P301 + P330 + P331 IF SWALLOWED: Rinse mouth. Do NOT induce vomiting.
 P303 + P361 + P353 IF ON SKIN (or hair): Remove/ Take off immediately all contaminated clothing. Rinse skin with water/ shower.
 P304 + P340 + P310 IF INHALED: Remove victim to fresh air and keep at rest in a position comfortable for breathing. Immediately call a POISON CENTER or doctor/ physician.
 P305 + P351 + P338 + P310 IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. Immediately call a POISON CENTER or doctor/ physician.
 P333 + P313 If skin irritation or rash occurs: Get medical advice/ attention.
 P363 Wash contaminated clothing before reuse.
Storage:
 P405 Store locked up.
Disposal:
 P501 Dispose of contents/container to an approved facility in accordance with local, regional, national and international regulations.

Other hazards which do not result in classification

None known.

SECTION 3. COMPOSITION/INFORMATION ON INGREDIENTS

Substance / Mixture

: Mixture

CLEARPOX PART B

Version 1.0 Revision Date: 01.09.2021 SDS Number: CPPB006 Date of last issue: -
 Date of first issue: 01.09.2020

Hazardous components

Chemical name	CAS-No.	Concentration (% w/w)
benzyl alcohol	100-51-6	>= 30 - < 60
4,4'-Isopropylidenediphenol, oligomeric reaction products with 1-chloro-2,3-epoxypropane, reaction products with 3-aminomethyl-3,5,5-trimethylcyclohexylamine	68609-08-5	>= 10 - < 30
2,2,4(or 2,4,4)-trimethylhexane-1,6-diamine	25513-64-8	>= 10 - < 30
isophorone diamine	2855-13-2	>= 10 - < 30

SECTION 4. FIRST AID MEASURES

- General advice : Move out of dangerous area.
 Consult a physician.
 Show this safety data sheet to the doctor in attendance.
 Do not leave the victim unattended.
- If inhaled : If unconscious, place in recovery position and seek medical advice.
 If symptoms persist, call a physician.
- In case of skin contact : Immediate medical treatment is necessary as untreated wounds from corrosion of the skin heal slowly and with difficulty.
 If on skin, rinse well with water.
 If on clothes, remove clothes.
- In case of eye contact : Small amounts splashed into eyes can cause irreversible tissue damage and blindness.
 In the case of contact with eyes, rinse immediately with plenty of water and seek medical advice.
 Continue rinsing eyes during transport to hospital.
 Remove contact lenses.
 Protect unharmed eye.
 Keep eye wide open while rinsing.
 If eye irritation persists, consult a specialist.
- If swallowed : Keep respiratory tract clear.
 Do NOT induce vomiting.
 Do not give milk or alcoholic beverages.
 Never give anything by mouth to an unconscious person.
 If symptoms persist, call a physician.
 Take victim immediately to hospital.
- Most important symptoms and effects, both acute and delayed : None known.
- Notes to physician : Treat symptomatically.

SAFETY DATA SHEET



CLEARPOX PART B

Version	Revision Date:	SDS Number:	Date of last issue: -
1.0	01.09.2021	CPPB006	Date of first issue: 01.09.2020

Persons susceptible to skin sensitisation problems or asthma, allergies, chronic or recurrent respiratory disease should not be employed in any process in which this mixture is being used.

- Hygiene measures : When using do not eat or drink.
When using do not smoke.
Wash hands before breaks and at the end of workday.
- Conditions for safe storage : Keep container tightly closed in a dry and well-ventilated place.
Containers which are opened must be carefully resealed and kept upright to prevent leakage.
Observe label precautions.
Electrical installations / working materials must comply with the technological safety standards.
- Storage period : 24 Months

SECTION 8. EXPOSURE CONTROLS/PERSONAL PROTECTION

Components with workplace control parameters

Contains no substances with occupational exposure limit values.

Personal protective equipment

Hand protection

- Material : butyl-rubber
Break through time : > 8 h

Ethyl Vinyl Alcohol Laminate (EVAL)
> 8 h

Nitrile rubber
10 - 480 min

- Remarks : The suitability for a specific workplace should be discussed with the producers of the protective gloves.
Take note of the information given by the producer concerning permeability and break through times, and of special workplace conditions (mechanical strain, duration of contact).
Refer to Australian/New Zealand Standard AS/NZS 2161.1: 2000 for guidance on selection and use of protective gloves.
- Eye protection : Eye wash bottle with pure water
Tightly fitting safety goggles
Wear face-shield and protective suit for abnormal processing problems.
Refer to Australian/New Zealand Standard AS/NZS 1337:1992 for guidance on selection and use of protective eyewear.
- Skin and body protection : Impervious clothing
Choose body protection according to the amount and

CLEARPOX PART B

Version 1.0	Revision Date: 01.09.2021	SDS Number: CPPB006	Date of last issue: - Date of first issue: 01.09.2020
----------------	------------------------------	------------------------	----------------------------------------------------------

concentration of the dangerous substance at the work place.

SECTION 9. PHYSICAL AND CHEMICAL PROPERTIES

Appearance	: liquid
Colour	: colourless
Odour	: amine-like
Odour Threshold	: No data is available on the product itself.
pH	: 10 - 12
Freezing point	: No data is available on the product itself.
Melting point	: No data is available on the product itself.
Boiling point	: > 200 °C
Flash point	: > 110 °C
Evaporation rate	: No data is available on the product itself.
Flammability (solid, gas)	: No data is available on the product itself.
Flammability (liquids)	: No data is available on the product itself.
Upper explosion limit	: No data is available on the product itself.
Lower explosion limit	: No data is available on the product itself.
Vapour pressure	: No data is available on the product itself.
Relative vapour density	: No data is available on the product itself.
Relative density	: No data is available on the product itself.
Density	: 1.02 g/cm ³
Solubility(ies)	
Water solubility	: No data is available on the product itself.
Solubility in other solvents	: No data is available on the product itself.
Partition coefficient: n-octanol/water	: No data is available on the product itself.
Auto-ignition temperature	: No data is available on the product itself.
Thermal decomposition	: No data is available on the product itself.
Self-Accelerating decomposition temperature (SADT)	: No data is available on the product itself.

CLEARPOX PART B

Version	Revision Date:	SDS Number:	Date of last issue: -
1.0	01.09.2021	CPPB006	Date of first issue: 01.09.2020

Viscosity
Viscosity, dynamic : 200 - 260 mPa.s

Explosive properties : No data is available on the product itself.

Oxidizing properties : No data is available on the product itself.

Particle size : No data is available on the product itself.

SECTION 10. STABILITY AND REACTIVITY

Reactivity : No decomposition if stored and applied as directed.

Chemical stability : No decomposition if stored and applied as directed.

Possibility of hazardous reactions : No decomposition if stored and applied as directed.

Conditions to avoid : No data available

Incompatible materials : None known.

Hazardous decomposition products : No data available

SECTION 11. TOXICOLOGICAL INFORMATION

Exposure routes : No data is available on the product itself.

Acute toxicity

Acute oral toxicity - Product : Acute toxicity estimate : 1,709 mg/kg
Method: Calculation method

Components:

benzyl alcohol:

Acute inhalation toxicity : LC50 (Rat, male and female): > 4178 mg/m³
Exposure time: 4 h
Test atmosphere: dust/mist
Method: OECD Test Guideline 403

Acute dermal toxicity - Product : Acute toxicity estimate : > 2,000 mg/kg
Method: Calculation method

Acute toxicity (other routes of administration) : No data available

Skin corrosion/irritation**Product:**

Remarks: Extremely corrosive and destructive to tissue.

CLEARPOX PART B

Version	Revision Date:	SDS Number:	Date of last issue: -
1.0	01.09.2021	CPPB006	Date of first issue: 01.09.2020

Serious eye damage/eye irritation**Product:**

Remarks: May cause irreversible eye damage.

Respiratory or skin sensitisation**Product:**

Remarks: Causes sensitisation.

Assessment: No data available

Chronic toxicity**Germ cell mutagenicity****Components:**

2,2,4(or 2,4,4)-trimethylhexane-1,6-diamine:

Genotoxicity in vitro : Test Type: Ames test
Species: Salmonella typhimurium
Concentration: 5000 ug/plate
Metabolic activation: with and without metabolic activation
Method: Directive 67/548/EEC, Annex, B.13/14
Result: negative

Test Type: Chromosome aberration test in vitro
Species: Chinese hamster ovary cells
Metabolic activation: with and without metabolic activation
Method: OECD Test Guideline 473
Result: negative

Test Type: In vitro mammalian cell gene mutation test
Species: Chinese hamster ovary cells
Concentration: 2 mg/ml
Metabolic activation: with and without metabolic activation
Method: OECD Test Guideline 476
Result: negative

Components:

benzyl alcohol:

Genotoxicity in vivo : Application Route: Intraperitoneal injection
Dose: 200 mg/kg
Method: OECD Test Guideline 474
Result: negative

2,2,4(or 2,4,4)-trimethylhexane-1,6-diamine:

Genotoxicity in vivo : Species: Chinese hamster (male and female)
Cell type: Bone marrow
Application Route: Oral
Dose: 825 - 1000 mg/kg
Method: OECD Test Guideline 474
Result: negative

Test Type: In vivo micronucleus test
Species: Mouse (male and female)
Application Route: Oral

CLEARPOX PART B

Version	Revision Date:	SDS Number:	Date of last issue: -
1.0	01.09.2021	CPPB006	Date of first issue: 01.09.2020

Dose: 850 - 1000 mg/kg
Method: OECD Test Guideline 474
Result: negative

Carcinogenicity**Components:**

benzyl alcohol:
Species: Rat, (male and female)
Application Route: Oral
Exposure time: 103 weeks
Dose: 400 mg/kg
Frequency of Treatment: 5 daily
Method: OECD Test Guideline 453
Result: negative

Carcinogenicity - Assessment : No data available

Reproductive toxicity**Components:**

2,2,4(or 2,4,4)-trimethylhexane-1,6-diamine:
Effects on fertility : Species: Rat, male and female
Application Route: Oral
Dose: 10, 60, 120 mg/kg bw/day
Method: OECD Test Guideline 416
Result: No effects on fertility and early embryonic development were detected.

Components:

benzyl alcohol:
Effects on foetal development : Species: Mouse, female
Application Route: Oral
General Toxicity Maternal: Lowest observed adverse effect level: 550 mg/kg body weight
Result: No teratogenic effects

2,2,4(or 2,4,4)-trimethylhexane-1,6-diamine:
Species: Rabbit, female
Application Route: Oral
General Toxicity Maternal: No observed adverse effect level: 50,000 ppm
Result: No teratogenic effects

isophorone diamine:
Species: Rat, female
Application Route: Oral
General Toxicity Maternal: No-observed-effect level: 50 mg/kg body weight
Method: OECD Test Guideline 414
Result: No teratogenic effects

Reproductive toxicity - Assessment : No data available

CLEARPOX PART B

Version	Revision Date:	SDS Number:	Date of last issue: -
1.0	01.09.2021	CPPB006	Date of first issue: 01.09.2020

STOT - single exposure

No data available

STOT - repeated exposure

No data available

Repeated dose toxicity

Components:

benzyl alcohol:

Species: Rat, male and female

: 400 mg/kg, 1072 mg/m³

Application Route: Ingestion

Test atmosphere: dust/mist

Exposure time: 4 Weeks

Number of exposures: 6 h

Method: OECD Test Guideline 412

4,4'-Isopropylidenediphenol, oligomeric reaction products with 1-chloro-2,3-epoxypropane, reaction products with 3-aminomethyl-3,5,5-trimethylcyclohexylamine:

Species: Rat, male and female

NOEL: 30 mg/kg/d

Application Route: Ingestion

Exposure time: 672 h

Number of exposures: 7 d

Method: Subacute toxicity

2,2,4(or 2,4,4)-trimethylhexane-1,6-diamine:

Species: Rat, male and female

NOAEL: 10 mg/kg bw/day

Application Route: Ingestion

Exposure time: 13 Weeks

Number of exposures: Daily

Dose: 10, 60, 180mg/kg bw

Target Organs: Liver

Species: Rat, male and female

LOAEL: 60 mg/kg bw/day

Application Route: Ingestion

Exposure time: 13 Weeks

Number of exposures: Daily

Dose: 10, 60, 180mg/kg bw

Target Organs: Liver

isophorone diamine:

Species: Rat, male and female

: 60 mg/kg, 200 mg/m³

Application Route: Ingestion

Test atmosphere: dust/mist

Exposure time: 216 h

Number of exposures: 6 h

CLEARPOX PART B

Version 1.0	Revision Date: 01.09.2021	SDS Number: CPPB006	Date of last issue: - Date of first issue: 01.09.2020
----------------	------------------------------	------------------------	----------------------------------------------------------

Method: Subchronic toxicity

Repeated dose toxicity - Assessment : No data available

Aspiration toxicity

No data available

Experience with human exposure

General Information: No data available

Inhalation: No data available

Skin contact: No data available

Eye contact: No data available

Ingestion: No data available

Toxicology, Metabolism, Distribution

No data available

Neurological effects

No data available

Further information**Product:**

Remarks: No data available

SECTION 12. ECOLOGICAL INFORMATION**Ecotoxicity****Components:**

benzyl alcohol:
Toxicity to fish : LC50: 460 mg/l
Exposure time: 96 h
Test Type: static test
Test substance: Fresh water
Method: OPPTS 850.1075

2,2,4(or 2,4,4)-trimethylhexane-1,6-diamine:
Toxicity to fish : LC50 (Leuciscus idus (Golden orfe)): 174 mg/l
Exposure time: 48 h

CLEARPOX PART B

Version 1.0	Revision Date: 01.09.2021	SDS Number: CPPB006	Date of last issue: - Date of first issue: 01.09.2020
----------------	------------------------------	------------------------	----------------------------------------------------------

Method: DIN 38412

isophorone diamine:

Toxicity to fish : LC50 (Leuciscus idus (Golden orfe)): 110 mg/l
 Exposure time: 96 h
 Test Type: semi-static test
 Test substance: Fresh water
 Method: Directive 67/548/EEC, Annex V, C.1.

Components:

benzyl alcohol:

Toxicity to daphnia and other aquatic invertebrates : EC50 (Daphnia magna (Water flea)): 230 mg/l
 Exposure time: 48 h
 Test substance: Fresh water
 Method: OECD Test Guideline 202

2,2,4(or 2,4,4)-trimethylhexane-1,6-diamine:

Toxicity to daphnia and other aquatic invertebrates : EC50 (Daphnia magna (Water flea)): 31.5 mg/l
 Exposure time: 24 h
 Method: DIN 38412

isophorone diamine:

Toxicity to daphnia and other aquatic invertebrates : EC50: 23 mg/l
 Exposure time: 48 h
 Test Type: static test
 Test substance: Fresh water
 Method: OECD Test Guideline 202

Components:

benzyl alcohol:

Toxicity to algae : EgC50 (Selenastrum capricornutum (green algae)): 770 mg/l
 Exposure time: 72 h
 Test Type: static test
 Test substance: Fresh water
 Method: OECD Test Guideline 201

2,2,4(or 2,4,4)-trimethylhexane-1,6-diamine:

Toxicity to algae : ErC50 (Pseudokirchneriella subcapitata (algae)): 43.5 mg/l
 Exposure time: 72 h
 Method: OECD Test Guideline 201

EC50 (Pseudokirchneriella subcapitata (algae)): 37.1 mg/l
 Exposure time: 72 h
 Method: OECD Test Guideline 201

NOEC (Pseudokirchneriella subcapitata (algae)): 16 mg/l
 Exposure time: 72 h
 Method: OECD Test Guideline 201

isophorone diamine:

Toxicity to algae : EC50: 37 mg/l
 Exposure time: 72 h
 Test Type: static test
 Test substance: Fresh water
 Method: Directive 67/548/EEC, Annex V, C.3.

CLEARPOX PART B

Version 1.0	Revision Date: 01.09.2021	SDS Number: CPPB006	Date of last issue: - Date of first issue: 01.09.2020
----------------	------------------------------	------------------------	----------------------------------------------------------

M-Factor (Acute aquatic toxicity) : No data available

Components:

2,2,4(or 2,4,4)-trimethylhexane-1,6-diamine:

Toxicity to fish (Chronic toxicity) : NOEC (Brachydanio rerio (zebrafish)): 10.9 mg/l
Exposure time: 30 d
Method: OECD Test Guideline 210

Lowest Observed Effect Concentration (Brachydanio rerio (zebrafish)): 10.9 mg/l
Exposure time: 30 d
Method: OECD Test Guideline 210

Components:

benzyl alcohol:

Toxicity to daphnia and other aquatic invertebrates (Chronic toxicity) : NOEC (Daphnia magna (Water flea)): 51 mg/l
Exposure time: 21 d
Test Type: semi-static test
Test substance: Fresh water
Method: OECD Test Guideline 211

2,2,4(or 2,4,4)-trimethylhexane-1,6-diamine:

Toxicity to daphnia and other aquatic invertebrates (Chronic toxicity) : NOEC (Daphnia magna (Water flea)): 1.02 mg/l
Exposure time: 21 d
Method: OECD Test Guideline 211

Lowest Observed Effect Concentration (Daphnia magna (Water flea)): 1.02 mg/l
Exposure time: 21 d
Method: OECD Test Guideline 211

M-Factor (Chronic aquatic toxicity) : No data available

Components:

2,2,4(or 2,4,4)-trimethylhexane-1,6-diamine:

Toxicity to microorganisms : IC50 (Pseudomonas putida): 89 mg/l
Exposure time: 17 h

isophorone diamine:

Toxicity to microorganisms : EC10: 1,120 mg/l
Exposure time: 18 h
Method: Measured

: (Pseudomonas putida): 1,120 mg/l
Exposure time: 18 h
Test Type: static test
Test substance: Fresh water

Components:

2,2,4(or 2,4,4)-trimethylhexane-1,6-diamine:

CLEARPOX PART B

Version	Revision Date:	SDS Number:	Date of last issue: -
1.0	01.09.2021	CPPB006	Date of first issue: 01.09.2020

Toxicity to soil dwelling organisms : NOEC (Eisenia fetida (earthworms)): \geq 1,000 mg/kg
 Exposure time: 56 d
 Method: OECD Test Guideline 222

EC50 (Eisenia fetida (earthworms)): \geq 1,000 mg/kg
 Exposure time: 56 d
 Method: OECD Test Guideline 222

Plant toxicity : No data available

Sediment toxicity : No data available

Toxicity to terrestrial organisms : No data available

Ecotoxicology Assessment

Components:

4,4'-Isopropylidenediphenol, oligomeric reaction products with 1-chloro-2,3-epoxypropane, reaction products with 3-aminomethyl-3,5,5-trimethylcyclohexylamine:

Acute aquatic toxicity : Harmful to aquatic life.

Components:

4,4'-Isopropylidenediphenol, oligomeric reaction products with 1-chloro-2,3-epoxypropane, reaction products with 3-aminomethyl-3,5,5-trimethylcyclohexylamine:

Chronic aquatic toxicity : Harmful to aquatic life with long lasting effects.

Toxicity Data on Soil : No data available

Other organisms relevant to the environment : No data available

Persistence and degradability**Components:**

benzyl alcohol:

Biodegradability : Inoculum: Sewage (STP effluent)
 Concentration: 20 mg/l
 Result: Readily biodegradable.
 Biodegradation: 95 - 97 %
 Exposure time: 21 d
 Method: OECD Test Guideline 301A

2,2,4(or 2,4,4)-trimethylhexane-1,6-diamine:

Biodegradability : Inoculum: activated sludge
 Concentration: 11.4 mg/l
 Result: Not readily biodegradable.
 Biodegradation: 7 %
 Exposure time: 28 d

isophorone diamine:

Biodegradability : Inoculum: activated sludge
 Concentration: 6.9 mg/l
 Result: Not readily biodegradable.
 Biodegradation: 8 %
 Exposure time: 28 d

CLEARPOX PART B

Version	Revision Date:	SDS Number:	Date of last issue: -
1.0	01.09.2021	CPPB006	Date of first issue: 01.09.2020

Method: Directive 67/548/EEC Annex V, C.4.A.

Biochemical Oxygen Demand (BOD) : No data available

Chemical Oxygen Demand (COD) : No data available

BOD/COD : No data available

ThOD : No data available

BOD/ThOD : No data available

Dissolved organic carbon (DOC) : No data available

Physico-chemical removability : No data available

Stability in water : No data available

Photodegradation : No data available

Impact on Sewage Treatment : No data available

Bioaccumulative potential**Components:**benzyl alcohol:
Bioaccumulation : Bioconcentration factor (BCF): 1**Components:**benzyl alcohol:
Partition coefficient: n-octanol/water : log Pow: 1.1 (20 °C)2,2,4(or 2,4,4)-trimethylhexane-1,6-diamine:
Partition coefficient: n-octanol/water : log Pow: -0.3 (25 °C)
Method: OECD Test Guideline 117isophorone diamine:
Partition coefficient: n-octanol/water : log Pow: 0.99 (23 °C)
pH: 6.34
Method: OECD Test Guideline 107**Mobility in soil**

Mobility : No data available

Components:benzyl alcohol:
Distribution among : Koc: 5 - 15

SAFETY DATA SHEET



CLEARPOX PART B

Version	Revision Date:	SDS Number:	Date of last issue: -
1.0	01.09.2021	CPPB006	Date of first issue: 01.09.2020

environmental compartments
isophorone diamine:
Distribution among environmental compartments : Koc: 928
Stability in soil : No data available

Other adverse effects

Environmental fate and pathways : No data available

Results of PBT and vPvB assessment : No data available

Endocrine disrupting potential : No data available

Adsorbed organic bound halogens (AOX) : No data available

Hazardous to the ozone layer

Ozone-Depletion Potential : Not applicable

Additional ecological information - Product : An environmental hazard cannot be excluded in the event of unprofessional handling or disposal.
Harmful to aquatic life with long lasting effects.

Global warming potential (GWP) : No data available

SECTION 13. DISPOSAL CONSIDERATIONS

Disposal methods

Waste from residues : The product should not be allowed to enter drains, water courses or the soil.
Do not contaminate ponds, waterways or ditches with chemical or used container.
Send to a licensed waste management company.

Contaminated packaging : Empty remaining contents.
Dispose of as unused product.
Do not re-use empty containers.

SECTION 14. TRANSPORT INFORMATION

International Regulations

IATA

UN/ID No. : UN 2735
Proper shipping name : Polyamines, liquid, corrosive, n.o.s.

SAFETY DATA SHEET



CLEARPOX PART B

Version 1.0 Revision Date: 01.09.2021 SDS Number: CPPB006 Date of last issue: -
Date of first issue: 01.09.2020

(TRIMETHYL HEXANEDIAMINE, Cycloaliphatic polyamine)

Class : 8
Packing group : II
Labels : Corrosive
Packing instruction (cargo aircraft) : 855
Packing instruction (passenger aircraft) : 851

IMDG

UN number : UN 2735
Proper shipping name : POLYAMINES, LIQUID, CORROSIVE, N.O.S.
(TRIMETHYL HEXANEDIAMINE, Cycloaliphatic polyamine)
Class : 8
Packing group : II
Labels : 8
EmS Code : F-A, S-B
Marine pollutant : no

Transport in bulk according to Annex II of MARPOL 73/78 and the IBC Code

Not applicable for product as supplied.

National Regulations

ADG

UN number : UN 2735
Proper shipping name : POLYAMINES, LIQUID, CORROSIVE, N.O.S.
(TRIMETHYL HEXANEDIAMINE, Cycloaliphatic polyamine)
Class : 8
Packing group : II
Labels : 8
Hazchem Code : 2X

SECTION 15. REGULATORY INFORMATION

Safety, health and environmental regulations/legislation specific for the substance or mixture

Standard for the Uniform Scheduling of Medicines and Poisons : No poison schedule number allocated

Australia Work Health and Safety Regulations - Schedule 10 Prohibited carcinogens, restricted carcinogens and restricted hazardous chemicals. : There is no applicable prohibition or notification/licensing requirements, including for carcinogens under Commonwealth, State or Territory legislation.

Other international regulations

The components of this product are reported in the following inventories:

CH INV : The formulation contains substances listed on the Swiss Inventory
DSL : All components of this product are on the Canadian DSL

SAFETY DATA SHEET



CLEARPOX PART B

Version	Revision Date:	SDS Number:	Date of last issue: -
1.0	01.09.2021	CPPB006	Date of first issue: 01.09.2020

AICS : On the inventory, or in compliance with the inventory

NZIoC : On the inventory, or in compliance with the inventory

ENCS : On the inventory, or in compliance with the inventory

KECI : On the inventory, or in compliance with the inventory

PICCS : On the inventory, or in compliance with the inventory

IECSC : On the inventory, or in compliance with the inventory

TCSI : On the inventory, or in compliance with the inventory

TSCA : On the inventory, or in compliance with the inventory

Inventories

AICS (Australia), DSL (Canada), IECSC (China), REACH (European Union), ENCS (Japan), ISHL (Japan), KECI (Korea), NZIoC (New Zealand), PICCS (Philippines), TCSI (Taiwan), TSCA (USA)

SECTION 16. OTHER INFORMATION

Revision Date : 01.09.2021
Date format : dd.mm.yyyy

The information and recommendations in this publication are to the best of our knowledge, information and belief accurate at the date of publication, NOTHING HEREIN IS TO BE CONSTRUED AS A WARRANTY, EXPRESS OR OTHERWISE.

IN ALL CASES, IT IS THE RESPONSIBILITY OF THE USER TO DETERMINE THE APPLICABILITY OF SUCH INFORMATION AND RECOMMENDATIONS AND THE SUITABILITY OF ANY PRODUCT FOR ITS OWN PARTICULAR PURPOSE.

THE PRODUCT MAY PRESENT HAZARDS AND SHOULD BE USED WITH CAUTION. WHILE CERTAIN HAZARDS ARE DESCRIBED IN THIS PUBLICATION, NO GUARANTEE IS MADE THAT THESE ARE THE ONLY HAZARDS THAT EXIST.

Hazards, toxicity and behaviour of the products may differ when used with other materials and are dependent upon the manufacturing circumstances or other processes. Such hazards, toxicity and behaviour should be determined by the user and made known to handlers, processors and end users.

The trademarks above are the property of **Huntsman Corporation** or an affiliate thereof.

NO PERSON OR ORGANIZATION EXCEPT A DULY AUTHORIZED HUNTSMAN EMPLOYEE IS AUTHORIZED TO PROVIDE OR MAKE AVAILABLE DATA SHEETS FOR HUNTSMAN

SAFETY DATA SHEET



CLEARPOX PART B

Version	Revision Date:	SDS Number:	Date of last issue: -
1.0	01.09.2021	CPPA006	Date of first issue: 01.09.2020

PRODUCTS. DATA SHEETS FROM UNAUTHORIZED SOURCES MAY CONTAIN INFORMATION THAT IS NO LONGER CURRENT OR ACCURATE.